

© Copyright SEK. Reproduction in any form without permission is prohibited.

Järnvägstillämpningar – Hjälpkraftsystem i rälfordon

*Railway applications –
Onboard auxiliary power converter systems
(CLC/TS 50535:2010)*

Nationellt förord

En teknisk specifikation, TS, utarbetad inom CENELEC är avsedd att ge beskrivningar som kan stödja den inre marknadens utveckling, ge vägledning beträffande specifikationer eller provningsmetoder eller ge specifikationer för teknikområden under snabb utveckling. Ett förslag till europeisk standard, EN, som det inte varit möjligt att nå tillräcklig enighet kring, kan också fastställas som TS, för att användas på försök (som förstandard) och för att efter eventuella justeringar eller bearbetningar senare fastställas som EN. En teknisk specifikation har en giltighetstid som är begränsad till tre år, med möjlighet till förlängning med tre eller högst sex år.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Railway applications -
Onboard auxiliary power converter systems**

Applications ferroviaires -
Convertisseur auxiliaire pour les véhicules
ferroviaires

Bahnanwendungen -
Hilfsbetriebeumrichtersystem
für Schienenfahrzeuge

This Technical Specification was approved by CENELEC on 2010-03-26.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This Technical Specification was prepared by SC 9XB, Electromechanical material on board rolling stock, of Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.


It was circulated for voting in accordance with the Internal Regulations, Part 2, Subclause 11.3.3.3 and was accepted as a CENELEC Technical Specification on 2010-03-26.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following date was fixed:

- latest date by which the existence of the CLC/TS
has to be announced at national level (doa) 2010-06-26

This standardization project was derived from the EU-funded Research project MODTRAIN (MODPOWER). It is part of a series of standards, referring to each other. The hierarchy of the standards is intended to be as follows:



Annexes defined to be normative belong to the content of this Technical Specification; annexes defined as informative are used only for information.

Annex A is normative and Annexes B, C and D are informative.

Contents

Introduction	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	11
4 Onboard auxiliary power converter systems	11
4.1 Definitions for onboard auxiliary power converter systems	11
4.2 Classification of onboard auxiliary power converter systems	13
5 General requirements	15
5.1 Environmental conditions	15
5.2 Protection class	15
5.3 Shock and vibration	16
5.4 Reliability, availability, maintainability and lifetime	16
5.5 Material	16
5.6 Fire protection	16
5.7 Nameplate	17
5.8 Documentation	17
6 Electrical Interfaces	18
6.1 Electric power interface of the auxiliary power converter	18
6.2 Electric power interface of the battery charger	23
7 Control interface of the onboard auxiliary power converter system (APCS)	25
8 Tests	26
Annex A (normative) Single pole train line voltages (RIC train line)	27
Annex B (informative) Train configurations	28
B.1 Train types	28
B.2 Typical ratings of auxiliary power converters and battery chargers	28
Annex C (informative) Type code	29
Annex D (informative) Example of the APCS communication interface	31
D.1 Signal groups	31
D.2 General APCS data	31
D.3 Input circuit and/or power conversion data	33
D.4 Auxiliary converter output data	35
D.5 Battery charger and LVDC output data	37
Bibliography	40

Figures

Figure 1 – Typical interfaces of an onboard auxiliary power converter system	12
Figure 2 – Example of auxiliary power converter system (Train class A)	12
Figure 3 – Example of auxiliary power converter system (Train class C0 and C1)	13
Figure 4 – Interface between battery and battery charger	25
Figure 5 – Control interface between the train communication and monitoring system (TCMS) and the onboard auxiliary power system (APCS)	26
Figure B.1 – Train types for the development of generic system architectures	28
Figure C.1 – Example of onboard auxiliary power converter system (Train class A)	29

Tables

Table 1 – Classification of power inputs of onboard auxiliary power converters	13
Table 2 – Classification of functionalities of onboard auxiliary power converters	13
Table 3 – Classification of power outputs of onboard auxiliary power converters	14
Table 4 – Classification of basic attributes of onboard auxiliary power converters.....	14
Table 5 – Type code definition of onboard auxiliary power converters with a single output.....	14
Table 6 – Type code definition of onboard auxiliary power converters with multiple outputs	14
Table 7 – Specification of input power interface.....	18
Table 8 – Specification of output 3 AC voltage	20
Table 9 – Specification of input supply voltage	23
Table 10 – Specification of output 1 DC voltage	24
Table A.1 – Nominal voltages and tolerances of the single pole train line voltage	27
Table A.2 – Frequencies of the single pole power supply train line voltage systems	27
Table C.1 – Classification of the onboard auxiliary power converter system.....	30
Table C.2 – Type code definition of the onboard auxiliary power converter system.....	30
Table D.1 – Data exchange from APCS to TCMS	32
Table D.2 – Data exchange from TCMS to APCS	33
Table D.3 – Data exchange from APCS to TCMS	34
Table D.4 – Data exchange from TCMS to APCS	35
Table D.5 – Data exchange from APCS to TCMS	36
Table D.6 – Data exchange from TCMS to APCS	37
Table D.7 – Data exchange from APCS to TCMS	38
Table D.8 – Data exchange from TCMS to APCS	39

Introduction

This Technical Specification defines characteristics and interfaces for electric onboard auxiliary power converter systems. This includes auxiliary power converters and battery chargers. The following European Standards and Technical Specifications refer to the defined target energy supply system in this present Technical Specification:

CLC/TS 50534	Railway applications – Generic system architectures for onboard electric auxiliary power systems <i>(Characteristics and interface of generic system architectures for onboard electric auxiliary power systems)</i>
EN 50533 ¹⁾	Railway applications – Three-phase train line voltage characteristics <i>(Characteristics of the voltage system used for auxiliary power supply)</i>
EN 50546 ²⁾	Railway applications – Shore (external) supply system for rail vehicles <i>(Interface description of the shore supply including protection functions)</i>
EN 50547 ²⁾	Railway applications – Batteries for rail vehicles <i>(Standardized batteries for rail vehicles and charging characteristics)</i>
CLC/TS 50537 (series)	Railway applications – Mounted parts of the traction transformer and cooling system <i>(Standardized products used in conjunction with traction transformers and traction cooling systems)</i>

CLC/TS 50535 has to be understood as a basic document of a set of hierarchically structured specifications as illustrated in the foreword. This set of European Standards and Technical Specifications defines a consistent technical framework beginning on an architectural level, followed by standards belonging to important system interfaces and concluding this hierarchy with Technical Specifications on component level. The diagram in the foreword points up these different system integration levels and shows the dependencies between the documents.

One main objective of this standardisation initiative is to simplify the cooperation between concerned railway stakeholders in charge of operating onboard auxiliary power systems, designing systems able to cope with the operational requirements and stakeholders manufacturing auxiliary power system components, which provide the requested services.

¹⁾ At draft stage.

²⁾ Under development.

1 Scope

This Technical Specification defines the classification of the electric onboard auxiliary power converter system and defines its basic characteristics and interfaces. The onboard auxiliary power converter system consists of the auxiliary converter and the battery charger function.

This Technical Specification applies to locomotive hauled passenger trains and electric multiple units with distributed power as well as trains with concentrated power heads. Relevant train configuration and concerned energy supply subsystems are defined in CLC/TS 50534. This Technical Specification provides a technical base for implementation of onboard auxiliary power systems on different trains.

The objective of this specification is to define the required interfaces and characteristics of the onboard auxiliary power converter system in order to enable further standardisation:

- interface between onboard auxiliary power converter system and onboard traction power system;
- interface of the onboard auxiliary power supply system to the low voltage grid and to a shore supply (stationary workshop supply or external supply);
- interfaces of the auxiliary converter and the battery charger;
- characteristics of the onboard auxiliary power converter system.

The electrical operational behaviour is defined by requirements. Requirements for the type tests as well as the routine test are referred.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

TS 45545 (series)	2009 ³⁾	<i>Railway applications – Fire protection on railway vehicles</i>
CLC/TS 50534		<i>Railway applications – Generic system architectures for onboard electric auxiliary power systems</i>
EN 12663	2000	<i>Railway applications – Structural requirements of railway vehicle bodies</i>
EN 50121-3-2	2000 ⁴⁾	<i>Railway applications – Electromagnetic compatibility – Part 3-2: Rolling stock – Apparatus</i>
EN 50125-1	1999	<i>Railway applications – Environmental conditions for equipment – Part 1: Equipment on board rolling stock</i>
EN 50163 + A1	2004 2007	<i>Railway applications – Supply voltages of traction systems</i>
EN 50238		<i>Railway applications – Compatibility between rolling stock and train detection systems</i>

³⁾ Part 5 is of CENELEC origin – Other parts are from CEN.

⁴⁾ Superseded by EN 50121-3-2:2006, *Railway applications – Electromagnetic compatibility – Part 3-2: Rolling stock – Apparatus*.

EN 50272-2	2001	<i>Safety requirements for secondary batteries and battery installations – Part 2: Stationary batteries</i>
EN 50388		<i>Railway applications – Power supply and rolling stock – Technical criteria for the coordination between power supply (substation) and rolling stock to achieve interoperability</i>
EN 50533	5)	<i>Railway applications – Three-phase train line voltage characteristics</i>
EN 50547	6)	<i>Railway applications – Batteries for rail vehicles</i>
EN 60077-1	2002	<i>Railway applications – Electric equipment for rolling stock – Part 1: General service conditions and general rules (IEC 60077-1:1999, mod.)</i>
EN 60529		<i>Degrees of protection provided by enclosures (IP Code) (IEC 60529)</i>
EN 60721-3-5		<i>Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 5: Ground vehicle installations (IEC 60721-3-5)</i>
EN 61287-1	2006	<i>Railway applications – Power convertors installed on board rolling stock – Part 1: Characteristics and test methods (IEC 61287-1:2005)</i>
EN 61373	1999	<i>Railway applications – Rolling stock equipment – Shock and vibration tests (IEC 61373)</i>
IEC 60038	2002 ⁷⁾	<i>IEC standard voltages</i>

5) At draft stage.

6) Under development.

7) IEC 60038:2002 (Ed. 6.2) combines IEC 60038:1983 (Ed. 6) + A1:1994 + A2:1997. It is superseded by IEC 60038:2009 (Ed. 7), *IEC standard voltages*.