

Edition 1.0 2019-07

INTERNATIONAL STANDARD

Magnetic field levels generated by electronic and electrical apparatus in the railway environment with respect to human exposure – Measurement procedures

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 45.060.01 ISBN 978-2-8322-7103-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWO	RD	4			
IN	TRODU	FRODUCTION6				
1	Scop	9	7			
2	Norm	ative references	7			
3	Term	s, definitions and abbreviated terms	7			
	3.1	Terms and definitions				
	• • •	Abbreviated terms				
4		urement procedure				
-		General				
		Rolling stock				
	4.2.1	General				
	4.2.2	Accessible areas for workers inside rolling stock	_			
	4.2.3	Public areas inside rolling stock				
	4.2.4	Areas outside rolling stock (public and workers)				
		Fixed installation				
	4.3.1	General				
	4.3.2	Open railway route (public and worker)				
	4.3.3	Areas close to fixed power supply installations (public and workers)				
	4.3.4	Platform (public and worker)				
	4.3.5	Simulation/calculation	11			
	4.4	Test conditions	12			
	4.4.1	Test of rolling stock	12			
	4.4.2	Test of infrastructure	12			
	4.5	Test environment	13			
5	Meas	urement technique	13			
	5.1	General	13			
	5.2	Frequency range	13			
	5.3	Measurement equipment	13			
	5.3.1	General	13			
	5.3.2	Field probes				
	5.3.3	Summation of spatial components	14			
	5.3.4	Data logging				
	5.3.5	Dynamic range	14			
	5.3.6	Isotropy				
	5.3.7	Linearity				
	5.3.8	Calibration and accuracy				
	5.4	Evaluation methods				
	5.4.1	General				
	5.4.2	DC magnetic field				
	5.4.3	AC magnetic field				
	5.5	Measurement execution				
	5.5.1	General				
	5.5.2	Rolling stock				
_	5.5.3	Infrastructure				
6	•	rt				
Αr	nnex A (normative) Test plan	18			

A.1	General	18			
A.2	Rolling stock	18			
A.2.1	General	18			
A.2.2	2 Electromagnetic sources	18			
A.2.3	Frequency range of measurement	18			
A.2.4	Measurement positions	19			
A.3	Infrastructure	19			
A.3.1	Open line	19			
A.3.2	2 Level crossing	19			
A.3.3	B Platform	20			
A.3.4	Bridges/underpass	20			
A.3.5	Fixed power supply installations	20			
Annex B	(informative) Measurement technique for lower frequency	21			
B.1	Lower frequency ranges	21			
B.2	Field probes for lower frequency	21			
B.3	Dynamic range	21			
Annex C	(informative) Consistency to IEC 62110 in some countries	22			
C.1	General	22			
C.2	Terms and definitions	22			
C.3	Fundamental measurement procedure	22			
C.4	Measurement procedure for fixed installations	22			
C.4.1	General	22			
C.4.2	2 Open railway route	22			
C.4.3	Areas close to fixed power supply installations	23			
C.4.4	Platforms	23			
C.4.5	Procedure to find out the measurement point	24			
Bibliograp	phy	25			
Table 1 –	Location and distances	11			
Table C.1 – Location and distances					

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MAGNETIC FIELD LEVELS GENERATED BY ELECTRONIC AND ELECTRICAL APPARATUS IN THE RAILWAY ENVIRONMENT WITH RESPECT TO HUMAN EXPOSURE – MEASUREMENT PROCEDURES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62597 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This first edition cancels and replaces IEC TS 62597 published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the Technical Specification:

- Annex A test plan has been converted to normative text
- New Annex B (informative) for measurement technique for lower frequency has been added
- New Annex C (informative) about consistency to IEC 62110 in some countries has been added

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/2505/FDIS	9/2517/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The intention of this document is to establish a suitable measuring/calculation method for determining the magnetic fields in the space around the equipment mentioned in the scope, to standardize operating conditions and to fix measuring/calculation distances.

MAGNETIC FIELD LEVELS GENERATED BY ELECTRONIC AND ELECTRICAL APPARATUS IN THE RAILWAY ENVIRONMENT WITH RESPECT TO HUMAN EXPOSURE – MEASUREMENT PROCEDURES

1 Scope

The scope of this document is limited to apparatus, systems and fixed installations which are intended for use in the railway environment. The frequency range covered is 0 Hz to 300 GHz.

Technical considerations and measurements are specified for frequencies up to 20 kHz because no relevant field strengths are expected above due to the physical nature of EMF-sources in the railway environment.

The object of this document is to provide measurement and calculation procedures of electric and magnetic field levels generated by electronic and electrical apparatus in the railway environment with respect to human exposure.

The regulations regarding the protection of human beings during exposure to non-ionizing electromagnetic fields in the railway environment are different within the countries worldwide. This document offers a procedure regarding measurement, simulation/calculation and evaluation.

The measurement procedures and points of measurement cover also the aspect of persons bearing active implantable medical devices.

This document does not apply to the risk assessment for persons bearing active implants in magnetic field generated by electronic and electrical apparatus in the railway environment.

This document does not apply to personal electronic devices (e.g. mobile phones, laptop computers, wireless communication systems, etc.) of passengers and workers.

This document does not apply to intentional transmitters with frequencies higher than 20 kHz.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62311, Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz – 300 GHz)